

### STANDARD FOUIPMENT


MODEL / VARIA	NT	VGT A/T ATHLETE	VGT A/T ADVENTURE X	VGT A/T PREMIUM	VGT A/T GL	VGT M/T	M/T	QUEST M/T 4X		
Exterior Features		<u> </u>		<u></u>						
Headlamps	Туре	Auto Bi-Xenon H		Bi-Xenon HID	Halogen	Bi-Xenon HID		alogen		
	LED Daytime Running Lights (DRL)		With		Without	With	W	Without		
	Levelling		With (Manua			1				
Fog Lamps	Front			Without	With	W	'ithout			
D	Rear	MCIL (DL. 1)	With				AACH I			
Rear Step Bumper	1	With (Black) With						Without		
Front Bumper Extend Radiator Grille	aer	Without With  Black (Honeycomb) Matte Black		Without  Dark Chrome				Material		
Radiator Grille				1	Chrome, Power Adji		ole .			
Door Mirrors		Black, Power Adjustable & Fold with Integrated Turn Indicators	Chrome, Power A Fold with Integrated		Chrome, Power Adjustable	& Fold with Integrated Turn Indicators	Chrome, Power Adjustable	Chrome, Black, Power Adjustable Manual Adjustable		
Door Handles	Outer & Tailgate	Black			Chrome			Black		
Wheel Fender				Body Color				Without		
ide Steps				Vith			W	ithout		
Body Decals		With Without								
Vipers		Auto and Variable with Intermittent & Mist								
Aerokit		With			Without					
ailgate Spoiler		With			Without					
ports Bar			With		Without	With	W	ithout		
Bedliner				W	/ith					
nterior Features										
Push Start Ignition			With		Without	With	W	ithout		
leter Panel	Type			High-Contrast				Back-Lit		
	Multi-Information Display (MID)			With			ı			
Rear View Mirror	Ŧ		chromic (Auto-Dimming)	T. d. C	Day & Night (Manual)	Electrochromic (Auto-Dimming)	Day & Ni	ght (Manual)		
Audio System	Туре	Touch Screen, CD, MP3, USB, Bluetooth, Voice Command & Apple CarPlay	Touch Screen, CD, MP3, USB, Bluetooth, Voice Command	Touch Screen, CD, MP3, USB	2-DIN CD, MP3, AUX, USB	Touch Screen, CD, MP3, USB		MP3, AUX, USB		
in Conditionin	Speakers	Dual Zana Climata	6 Speakers	T	4 Speakers	6 Speakers	4 Speakers	2 Speakers		
Air Conditioning	Type	Dual-Zone Climate C	ontrol		Automatic Climate Control	4 spoke Leather wrapped	Mar	nual A/C		
Steering Wheel	Type	4-spoke Leathe	3-spoke Urethane 4-spoke Leather-wrapped with Audio Controls  Tilt and Telescopic			3-spok	3-spoke Urethane			
	Adjustment Paddle Shifters	With	Without				TIIL			
Cruise Control	Paddle Stiffers	With		Without						
WD Selector		With Without With						Without		
Power Windows		With (Driver's Side Auto Up/Down with Anti-Pinch)						With (Driver's Sic Auto Down)		
Auto Door Lock				W	With					
	Material	Leather with Orange Accent Stitching	Leathe	er Fabric						
Seats	Front Adjustments	Powered (Drive		Manual (Driver & Passenger)						
ocuts .		Manual (Passenger) Manual (Driver & Passenger)								
	Rear			With Centre Armrest 8	k Cupholder					
Safety	(A DC)			AACII.						
Anti-Lock Braking Sy	rstem (ABS) ce Distribution (EBD)			With With						
:lectronic Brake-Ford Brake Assist (BA)	re Distribution (ERD)		1.	With With			1.4	ithout		
Active Stability Conti	rol (ASC)			Vith				ithout		
raction Control (TC)				Vith				ithout		
ill-Start Assist (HSA				Vith				ithout		
railer Stability Assist				Vith				ithout		
	. (15.1)	W	ith (Guide Lines)		Without	With (Guide Lines)		ithout		
everse Camera		***		Vith	· · · · · · · · · · · · · · · · · · ·	, , , , , , , , , , , , , , , , , , ,		ithout		
			v	With (at Tailga	te)		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
everse Sensors	qn									
everse Sensors ligh Mount Stop Lam	np			With						
everse Sensors igh Mount Stop Lan SOFIX				With With (Rear De	oor)					
everse Sensors ligh Mount Stop Lan SOFIX hild Lock Protection		7 (Dual-front, Side, Curtain &	Driver's Knee)			Driver & Front Passenger)				
everse Sensors igh Mount Stop Lan SOFIX hild Lock Protection RS Airbags		7 (Dual-front, Side, Curtain &	Driver's Knee)		Dual-front (	Driver & Front Passenger)				
everse Sensors igh Mount Stop Lam SOFIX hild Lock Protection RS Airbags ISE Body	ı	7 (Dual-front, Side, Curtain &	Driver's Knee)	With (Rear De	Dual-front (	Driver & Front Passenger)				
everse Sensors igh Mount Stop Lam SOFIX hild Lock Protection RS Airbags ISE Body ide Impact Door Bea	ı	7 (Dual-front, Side, Curtain & 3-point ELR with Double Pretensioner (	·	With (Rear Do	Dual-front ( Frame	Driver & Front Passenger)  h Pretensioner & Force Limit	er			
everse Sensors igh Mount Stop Lam SOFIX hild Lock Protection RS Airbags ISE Body ide Impact Door Bea	n ams		·	With (Rear Do	Dual-front ( Frame 3-point ELR with		er			
everse Sensors igh Mount Stop Lan OFIX hild Lock Protection RS Airbags ISE Body ide Impact Door Be- eatbelts	ams Front Rear		·	With (Rear Do With Extra Rigid With	Dual-front ( Frame 3-point ELR with		er			
Reverse Camera Reverse Sensors High Mount Stop Lan SOFIX Child Lock Protectior SRS Airbags RISE Body Gide Impact Door Besenbelts Head Impact Protectic Collapsible Steering (	ams Front Rear ion Structure		·	With (Rear Do	Dual-front ( Frame 3-point ELR with		er			
Reverse Sensors  High Mount Stop Lan  SOFIX  Child Lock Protection  RS Airbags  RISE Body  God Impact Door Besenthelts  Head Impact Protection	ams Front Rear ion Structure Column		·	With (Rear Do	Dual-front ( Frame 3-point ELR with		er			
Reverse Sensors  ligh Mount Stop Lam  SOFIX  Child Lock Protection  RS Airbags  RISE Body  side Impact Door Besicatbelts  Head Impact Protection  Collapsible Steering (Collapsible Steering (Collapsi	ams Front Rear ion Structure Column		·	With (Rear Down With Extra Rigid With Strain Rigid With S-Point ELR () With With With	Dual-front ( Frame 3-point ELR with		er			


ECIFICATION	\$									
DEL / VARIANT			VGT A/T ATHLETE	VGT A/T ADVENTURE X	VGT A/T PREMIUM	VGT A/T GL	VGT M/T	M/T	QUEST M/T 4X2	
ne & Transmission										
ne Type			2.4L	2.5L DI-D Common Rail Turbocharged Intercooler	2.5L DI-D Common Rail Turbocharged					
lacement		СС			2,477					
Output (EEC-Net)	PS (kW	V)/rpm		181	136 (100) / 4,000	110 (81) / 4,000				
Torque (EEC-Net)	Nm (kgm	n)/rpm		430	324 (33.1) / 2,000	200 (20.4) / 2,000				
smission			5-:	speed Automatic with	n Manual Mode		6-speed Manual	5-speed 1	Manual	
sis & Suspension										
ension	Front		Independent-Wishbone, Coil Springs							
	Rear		Rigid, Elliptic Leaf Spring							
e	Front		Ventilated Disc							
	Rear		Leading & Trailing Drum							
etrain			4WD 2WD							
ing			Rack & Pinion							
5			245/65 R17 245/70 R16						195R15C	
s & Rims			17" Black Alloy	17" Dual Tone Alloy	17" Alloy				15" Alloy	
ensions						•				
all	Length	mm	5,280						5,200	
	Width	mm	1,815						1,785	
	Height	mm	1,780						1,655	
elbase		mm	3,000							
b	Front	mm	1,520							
	Rear	mm	1,515							
(	Length	mm	1,520							
	Width	mm	1,470							
	Height	mm				475				
ght	Kerb	kg		1,840			1,835	1,820	1,590	
	Gross	kg	2,870				2,850	2,570		
Turning Radius		m				5.9			5.7	
Tank Canacity		litro				75				













Mitsubishi Motors Malaysia Sdn Bhd (680028-M)
©2017 Mitsubishi Motors Corporation. All rights reserved.

www.mitsubishi-motors.com.my



- i. Mitsubishi Motors Malaysia reserves the right to alter any details of specifications and equipment without prior notice.
   ii. Details of specifications and equipment are also subject to change to
- suit local conditions and requirements.
- iii. Vehicles and specifications in this brochure may vary from models available locally. Vehicle body and accessory colours may differ slightly from printed photos in this brochure.

VGT A/T ATHLETE



VGT A/T ADVENTURE X



VGT A/T PREMIUM

Pearl White





VGT A/T GL

















QUEST M/T

### **AUTHORISED DEALER**



Sales Enquiry : 03 – 4031 8866 Service Appointment : 03 – 4032 1566



MITSUBISHI MOTORS SETAPAK





# SPORTY NEW FEATURES

### FOR AN ALL-POWERFUL EXPERIENCE



AEROKIT WITH HONEYCOMB MESH GRILLE



SPORTS BAR WITH TAILGATE SPOILER



REAR BLACK BUMPER



TOUCH SCREEN AUDIO
WITH APPLE CARPLAY



REVERSE CAMERA WITH GUIDELINES




LEATHER SEATS WITH ORANGE ACCENTS



TURN EVERY DAY CHALLENGES INTO EVERY DAY THRILLS, WITH THE TRITON ATHLETE.

Visuals shown are for illustration purposes only. Specifications may vary according to market. Please consult your local Mitsubishi Motors dealer for more information.



shown are for illustration purposes only. Specifications may vary according to market. Please consult your local Mitsubishi Motors dealer for more information.

# AWARD-WINNING 2.4L MIVEC TURBO DIESEL ENGINE

# 181PS MAX POWER 430NM MAX TORQUE

Experience best-in-class\* maximum power and torque with Variable Valve Timing technology.

### **IMPROVED FUEL EFFICIENCY**

The engine's raw power is coupled with 15% improved\*\* fuel efficiency.

# VARIABLE GEOMETRY TURBO (VGT)

Improves torque output and minimises turbo lag at low speeds, and maximises turbo charging for maximum power and torque at high speeds.

# GREAT MANEUVERABILITY FOR TIGHT CORNERS

### **BEST-IN-CLASS TURNING RADIUS**

**5.9m** for 4WD and **5.7m** for 2WD.



### **BETTER HANDLING ON CURVY ROADS**

Steady build for improved agility, even on the tightest corners.

# DURABILITY TO WITHSTAND ROUGH ROAD CONDITIONS

Built with a tough, robust frame for better rigidity when carrying loads, improving safety and driving performance. Its suspension system comprises of double wishbones with coil springs, and a front stabiliser bar that provides better stability.

\*Up to 2.4L category.

The first aluminium engine

in a pickup truck

\*\*Tested and verified by paultan.org. Actual fuel consumption may vary according to driving style, vehicle conditions, and other factors.



## SOLID SAFETY SYSTEM FOR TOTAL ON-ROAD PROTECTION



### 7 SRS AIRBAGS\*

Protects driver and passengers by absorbing the force of impact in the event of a collision.



NCAP FIVE-STAR: Applicable for Triton Athlete and Adventure variants only.


### ACTIVE STABILITY & $\cline{}$ Traction control (astc)\*\*

ASC recognises over-steer or Prevents the vehicle from rolling under-steer and applies brake-force backwards on an incline by momentarily to maintain control, while TC helps to maintaining the brake-force before maintain traction on slippery surfaces. accelerator is applied.



ANTI-LOCK BRAKING SYSTEM (ABS)

Pretensioners restrain the driver and front passenger firmly in their seats during airbags' deployment, minimising crash force in the event of a collision.




### RUGGED EXTERIOR FOR HARDCORE ATTITUDE

TSA prevents 'trailer swing' when towing, controlling individual wheel slips. The system detects the trailer's swaying and automatically warns drivers, flashing brake lights from car and trailer.



The Reinforced Impact Safety Evolution (RISE) body consists of crumple zones and reinforced support to absorb and dissipate the collision impact force.

Superior 0.42Cd (Coefficient Drag) for better fuel-efficiency and improved cabin insulation.



Maximises the interior space while providing plenty of cargo space.

### ONT BUMPER EXTENDER\*\*

Gives the truck a bolder, muscular appearance.



\*For all VGT variants except VGT AT GL. \*\*For Athlete, Adventure, and AT Premium variants only. \*\*\*For Adventure variant only.

### 17" ALLOY RIMS\*\*

Solid and durable rims hat complement a bold exterior.

### EASY SELECT 4WD SYSTEM Various drive modes for any terrain or weather.

For normal road conditions. Only the rear wheels receive power and provide a smooth, quiet, and



For rough roads and challenging conditions. All wheels receive torque,

giving better traction.

ABS lets you maneuver under extreme

braking while EBD distributes

rear wheels, to assist the car in

brake-force between the front and

stopping within a shorter distance.

For off-road conditions including steep inclines or muddy and rocky roads. Maximum torque from 4H is shifted into low gear for maximum traction.

4L 4WD LOW RANGE





\*For Athlete and Adventure variants only. \*\*For VGT variants only.